

TREATMENT CONSENT FORM



The CoolSculpting® procedure may use a non-invasive vacuum applicator to draw in tissue or a non-invasive surface applicator to deliver controlled cooling at the surface of the skin. The procedure is for spot reduction of fat. It is not a weight-loss solution and it does not replace traditional methods such as liposuction. Someone who is overweight can expect to see less visible improvement than someone who has smaller fat deposits. Clinical studies have shown that the CoolSculpting procedure will naturally remove fat cells but, as with most procedures, visible results will vary from person to person. Initial: What you can expect: » The suction pressure of a vacuum applicator may cause sensations of deep pulling, tugging and pinching. A surface applicator may cause sensations of pressure. You may experience intense stinging, tingling, aching or cramping as the treatment begins. These sensations generally subside as the area becomes numb. Initial: » The treated area may look or feel stiff after the procedure and transient blanching (temporary whitening of the skin) may occur. You may feel a sense of nausea or dizziness as your body naturally warms and sensation returns to your treatment area. These are all normal reactions that typically resolve within minutes. Initial: » Bruising, swelling, and tenderness can occur in the treated area and it may appear red for a few hours after the applicator is removed. Initial: _ » You may feel a dulling of sensation in the treated area that can last for several weeks after your procedure. Other changes - including deep itching, tingling, numbness, tenderness to the touch, pain in the treated area, strong cramping, muscle spasms, aching and/or soreness - also have been reported after a CoolSculpting procedure. Initial: » Patient experiences will differ. Some patients may experience a delayed onset of the previously mentioned occurrences. Contact us immediately if any unusual side effects occur or if symptoms worsen over time. Initial: » You may start to see changes as early as three weeks after your CoolSculpting procedure, and you will experience the most dramatic results after one to three months. Your body will continue naturally to process the injured fat cells from your body for approximately four months after your procedure. Initial: » You may decide that additional treatments are needed to reach your desired outcome. Initial: » In rare cases, patients have experienced vasovagal symptoms during the treatment, and reported freeze burn, darker skin color, hardness, discrete nodules or enlargement of the treatment area. Surgical intervention may be required to correct the enlargement. Treatment may cause new hernia formation or exacerbate pre-existing hernia. which may require surgical repair. I understand that these and other unknown side effects may also occur. Initial:



Do you have any of the following? :

TREATMENT CONSENT FORM

,,,, , , , , , , , , , , , , , , ,		
» Cryoglobulinemia or paroxysmal cold hemog	globinuria	Yes / No
» Known sensitivity to cold such as cold urticar	ria or Raynaud's disease	Yes / No
» Impaired peripheral circulation in the area to	be treated	Yes / No
» Neuropathic disorders such as post-herpetic	neuralgia or diabetic neuropathy	Yes / No
» Impaired skin sensation		Yes / No
» Open or infected wounds		Yes / No
» Bleeding disorders or concomitant use of blo	ood thinners	Yes / No
» Recent surgery or scar tissue in the area to \boldsymbol{b}	be treated	Yes / No
» A hernia or history of hernia in the area to be	treated or adjacent to treatment site	Yes / No
» Skin conditions such as eczema, dermatitis,	or rashes	Yes / No
» Pregnancy or lactation		Yes / No
» Any active implanted devices such as pacen	nakers and defibrillators	Yes / No
identifying marks will be cropped or removed. As with most medical procedures, there are ris	sks and side effects. These have been explained to my consent to be treated with the CoolSculpting	o me in detail.
Print Name:	Signature:	Date:
Witness:	Date:	



Patient Name:





I,representatives, to take photogra and/or case presentations.		uth Plastic Surgery, Dr. Gregory A. Greco and staff e used for my patient care, marketing, literature
I understand that:		
» Photographs are taken to capt	ure treatment outcomes for the CoolSculpti	ing [®] procedure.
73 ST 10 ST	nedical profession or general public about the	nited to, scientific presentations, websites and ne procedure. These uses may also include
» The images taken of me may b	e published by Monmouth Plastic Surgery	and its agents.
» I will not be identified by name i	n any of the published materials.	
» My face will not be shown in the	e photographs nor will they reveal my identi	ity.
» I have the right to revoke this au	uthorization in writing at any time through a	written revocation to Monmouth Plastic Surgery.
I hereby release Monmouth Plasti arising out of, or in conjunction with	ic Surgery, Dr. Gregory Greco and its agen th, the use of the photographs.	ats from any and all claims and demands
I certify that I have read this releas Monmouth Plastic Surgery 732-84	se carefully and fully understand its terms. I 12-3737.	If I have any questions I can contact
If under 18, guardian or parent mu	ıst sign.	
Print Name:	Signature:	Date:
Witness:		Date:



PATIENT TAKE-HOME GUIDELINES



What to expect after the CoolSculpting procedure:

- » Typically, there is minimal discomfort and recovery time after the CoolSculpting procedure. Most patients are able to return to their daily routine immediately after the procedure
- » The treated area may be red for up to a few hours after the applicator is removed.
- » Many patients have minimal discomfort following the procedure, however you may experience one or more of the following sensations: deep itching, tingling, numbness, tenderness to the touch, pain in the treated area, strong cramping, nausea, bloating, diarrhea, muscle spasms, aching and/or soreness. Consult your doctor if these conditions persist beyond two weeks or worsen over time.
- » Following the procedure, a gradual reduction in the thickness of the fat layer will take place. You may start to see changes as early as three weeks after the CoolSculpting procedure and you will experience the most dramatic results after one to three months. Your body will continue naturally to process the injured fat cells from your body for approximately four months after your procedure.
- » In rare cases, patients have reported darker skin color, hardness, discrete nodules, freeze burn, enlargement of the treated area, hernia or worsening of existing hernia following the CoolSculpting procedure. Surgical intervention may be required to correct the enlargement or hernia.

Next steps:

- » Weight gain will prevent you from appreciating your full results. Maintaining a healthy diet and exercise routine after your procedure can help prevent this.
- » Schedule a follow-up medical assessment to review your clinical results and discuss the option of additional treatments to achieve desired fat reduction.

Please call us at (732) 842 - 3737 if your symptoms appear to worsen or last longer than two weeks.